

# PHARMACY

## PRODUCT APPLICATION

### Supply Venturi Valves

- Medium (0.6 – 3.0 in. w.c.) or low (0.3 – 3.0 in. w.c.) pressure operation
- Characterized and calibrated using NVLAP accredited test stations (Lab Code: 201067-0)
- Operating pressure feedback

### Pace™

- Pressure or volumetric offset control strategies
- Airflow control utilizing Venturi Valves, Venturi FX Valves or Terminal Units
- BACnet MS/TP

### Integrated Reheat Coil

- Factory mounted transition
- Coil access door

### Thermostat

- LCD or blank-face options
- Optional humidity and CO<sub>2</sub> sensing
- Optional connection to room level network for commissioning

### Bio-Safety Cabinet Venturi Valve

- Medium (0.6 - 3.0 in. w.c.) or low (0.3 - 3.0 in. w.c.) pressure operation
- Characterized and calibrated using NVLAP accredited test stations (Lab Code: 201067-0)
- Operating pressure feedback
- Optional corrosion resistant coatings

### General Exhaust Venturi Valves

- Electronic airflow feedback prevents dust/lint contamination from degrading airflow reading
- Medium (0.6 – 3.0 in. w.c.) or low (0.3 – 3.0 in. w.c.) pressure operation
- Characterized and calibrated using NVLAP accredited test stations (Lab Code: 201067-0)
- Operating pressure feedback

### Pace™

- Pressure or volumetric offset control strategies
- Airflow control utilizing Venturi Valves, Venturi FX Valves or Terminal Units
- BACnet MS/TP

### Room Pressure Sensor

- Maintenance and calibration-free sensor technology
- Accurate to 3% of reading
- Designed to prevent buildup of airborne particulates

### Room Pressure Monitor

- Elegantly designed with the industry's highest resolution
- Innovative 180° LED room status indicator
- Pressure monitoring and optional reporting of room environment points for up to three spaces
- BACnet MS/TP